

Deck Mounted Eye Washer



YS-EW-DM1



YS-EW-DM2



YS-EW-DM3

Max. working pressure: 7Bar

Valve: None-return valve, shut off automatically

Hose: Length 1.4m, PVC with stainless steel net

Sprayer head: Soft rubber, softened water spray for eye protection

Dust shield cap: PP, removed automatically when eye washer is operated

Switch: Automatic trigger locking for easy hand-free use

Material: Solid thick brass with high gloss epoxy powder, resistant to chemicals, UV and heat.

Technical Parameters:

Model	YS-EW-DM1	YS-EW-DM2	YS-EW-DM3
Package Size(W*D*H)mm	270*170**80	440*240*120	270*170**80
Gross Weight(Kg)	1	2	1

Removable Eye Washer

YORK



YS-EW-R2

Max. working pressure: Max. 7Bar
Soft Pipe: length 1.5m, pp material
Installing: Desk & wall mounted, can be also drew out
Sprayer head: Softened water spray for eye protection
Dust shield cap: Removed when eye washer is operated
Package Size(W*D*H)mm: 270*170**80
Gross Weight(Kg): 1



YS-EW-R3

Switch: Automatic trigger locking for hand-free use
Body: Densely PP material. The valve can close automatically, safe seal
Flow control valve: Adjustable based on water pressure to adapt for the eyes.
Package Size(W*D*H)mm: 270*170**80
Gross Weight(Kg): 1

Wall Mounted Eye Washer

Material: 304 stainless steel with Exquisite polished / Epoxy coating stainless steel with high gloss epoxy powder, resistant to chemicals, UV,

Eye washer bowl: stainless steel / PP bowl, water bore is made of PP(ABS shield cap), safe green, installing conveniently.

Sprayer head : water bore has been treated with; make the water more mild and abundant.


Switch: the sign of operation is near by the knob, operate simply.

Package Size(W*D*H)mm: 470*420**350

Gross Weight(Kg): 8.5



YS-EW-WM1




Wall Mounted Shower Eye Washer


YORK



YS-S-WM2



YS-S-CM3



YS-SEW-WM1

Sprayer head: The flux of spray head shower&washer is ample, installing conveniently, saving space.
Tube: Stainless steel material, making the products firm and high quality, resistant to the chemicals.
Switch: The sign of operation is near by the knob, operate simply.

Technical Parameters:

Model	YS-S-WM2	YS-S-CM3	YS-SEW-WM1
Package Size(W*D*H)mm	815*270*160	815*270*160	1320**440*320
Gross Weight(Kg)	5.5	5	18